Subject Index
Volume 51

Abstracts, Annual Meeting of American Society for Clinical Nutrition, Inc., 509
Accommodation, 283
Acetate
  supplementation of TPN, small bowel mucosa effects (rat), 685
  tolerance and utilization, diabetic vs nondiabetic subjects, 112
Adaptation
  definition, 283
  nutritional. *See* Nutritional adaptation
Adipocytes, in weight reduction (rat), 970
Adipose tissue
  characteristics of, in weight reduction (rat), 970
  distribution
    assessment, CT scan vs MRI, 953
    in Mexican-American children, 936
  triglyceride stores, dietary n-3 fatty acids in (rabbit), 535
Adiposity, estradiol-17β in postmenopausal women and, vegetarians vs nonvegetarians, 798
Adolescence, pregnancy during, maternal growth and decreased infant birth weight in, 790
Aerobic fitness test, 14
Age/aging. *See also* Geriatric population
  and energy requirements, 711
  vitamin B-6 depletion and (rat), 446
  zinc, magnesium, copper and protein concentrations in saliva, plasma and hair and, 462
AIDS (acquired immune deficiency syndrome)
  energy balance in, short-term, preservation of, 7
  malnutrition in, 7
Albumin, serum, very-low-calorie diet and, 338
Alkalosis, metabolic. *See* Metabolic alkalosis
Allergy, soy formula and (letter), 705
American Institute of Nutrition (AIN), nutritional adaptation symposium, 258
American Society for Clinical Nutrition (ASCN)
  Annual Meeting
    abstracts, 509
    program, 499
  nutritional adaptation symposium, 258
Aminoacidemia, trauma-induced, in geriatric patient, 1040
Amino acids. *See also specific amino acids*
  altered dietary intake, nutritional adaptation and, 270
  ketoanalogues. *See* Ketoanalogues
  plasma, in geriatric patient, trauma and, 1040
  requirements, 723
    in adult male (letter), 492
p-Aminobenzoic acid, for monitoring compliance with a metabolic diet, 485
Aminonucleoside nephrosis, cholestyramine resin in (rat), 606
Anemia
  iron-deficiency
    celiac disease and, pica in, 139
    vitamin A supplementation and, 76
  plasma ferritin concentrations in, malaria and riboflavin deficiency and, 453
Animal model, TPN-induced bone disease, 470
Anthropometry. *See also* Skinfold thickness
  correlation with weight-height indices, 540
  in obesity, 22
  relation to diet and hormone concentrations in postmenopausal women, vegetarians vs nonvegetarians, 798
  reliability of measurements, in Hispanic Health and Nutrition Examination Survey, 902
Antimicrobial proteins, in maternal and cord serum and human milk, maternal nutritional status and, 183
Antioxidants, during bone marrow transplantation conditioning therapy, 216
Apolipoprotein A1 (apo A1)
  plasma, low-dose n-3 fatty acids and, 599
  serum
    butter, corn oil or high-oleic acid sunflower oil diet and, 815
    fish-enriched diet and, 393
Apolipoprotein B (apo B)
  plasma, low-dose n-3 fatty acids and, 599
  serum
    butter, corn oil or high-oleic acid sunflower oil diet and, 815
    fish-enriched diet and, 393
Apoprotein A1 (apo A1), intestinal synthesis and serum level, during weaning, dietary lipids and (piglet), 47
Apoprotein B (apo B), serum level, during weaning, dietary lipids and (piglet), 47
Appetite, in Prader-Willi syndrome, pancreatic polypeptide infusion and, 162
Arachidonate, in serum phospholipids, vegetarian diet and, 385
Arachidonic acid, in plasma and red cell phospholipids of low-birth-weight infant, formula feeding vs breast milk feeding, 994
Arrhythmia, cardiac, dietary intervention in (rat), 53
Ascorbic acid. *See* Vitamin C
Aspartame
  dietary, effect on food intake and body weight, 963
  preload, food intake and, 428
Aspartate aminotransferase, erythrocyte, aging and (rat), 446
Athletes
  dietary patterns, gastrointestinal complaints and nutrition knowledge of recreational triathletes, 690
  fluid replacement. *See* Carbohydrate-electrolyte beverages
  physical training and copper, iron and zinc status of swimmers, 1093
Autoimmunity, diet and, 489

Ballet dancers, stress fractures in, nutrition and, 779
Beans, canned, in hyperlipidemia, 1013
Bedouin Infant Feeding Study, 343
Beer, and copper deficieny (rat), 869
Bile acids, low vs high dietary fiber intake and, 1007
Bioelectric impedance analysis (BIA)
  in elderly subjects, 3
  skinfold thickness measurements vs, 571
Biotin deficiency, skin findings (rat), 853
Biotinidase deficiency, in rat, 853
Birth weight
  maternal growth during pregnancy and, 790
  maternal serum zinc concentration and, 678

Am J Clin Nutr 1990;51:1122–31. Printed in USA. © 1990 American Society for Clinical Nutrition

Subject Index
Volume 51

Abstracts, Annual Meeting of American Society for Clinical Nutrition, Inc., 509
Accommodation, 283
Acetate
  supplementation of TPN, small bowel mucosa effects (rat), 685
  tolerance and utilization, diabetic vs nondiabetic subjects, 112
Adaptation
  definition, 283
  nutritional. *See* Nutritional adaptation
Adipocytes, in weight reduction (rat), 970
Adipose tissue
  characteristics of, in weight reduction (rat), 970
  distribution
    assessment, CT scan vs MRI, 953
    in Mexican-American children, 936
  triglyceride stores, dietary n-3 fatty acids in (rabbit), 535
Adiposity, estradiol-17β in postmenopausal women and, vegetarians vs nonvegetarians, 798
Adolescence, pregnancy during, maternal growth and decreased infant birth weight in, 790
Aerobic fitness test, 14
Age/aging. *See also* Geriatric population
  and energy requirements, 711
  vitamin B-6 depletion and (rat), 446
  zinc, magnesium, copper and protein concentrations in saliva, plasma and hair and, 462
AIDS (acquired immune deficiency syndrome)
  energy balance in, short-term, preservation of, 7
  malnutrition in, 7
Albumin, serum, very-low-calorie diet and, 338
Alkalosis, metabolic. *See* Metabolic alkalosis
Allergy, soy formula and (letter), 705
American Institute of Nutrition (AIN), nutritional adaptation symposium, 258
American Society for Clinical Nutrition (ASCN)
  Annual Meeting
    abstracts, 509
    program, 499
  nutritional adaptation symposium, 258
Aminoacidemia, trauma-induced, in geriatric patient, 1040
Amino acids. *See also specific amino acids*
  altered dietary intake, nutritional adaptation and, 270
  ketoanalogues. *See* Ketoanalogues
  plasma, in geriatric patient, trauma and, 1040
  requirements, 723
    in adult male (letter), 492
p-Aminobenzoic acid, for monitoring compliance with a metabolic diet, 485
Aminonucleoside nephrosis, cholestyramine resin in (rat), 606
Anemia
  iron-deficiency
    celiac disease and, pica in, 139
    vitamin A supplementation and, 76
  plasma ferritin concentrations in, malaria and riboflavin deficiency and, 453
Animal model, TPN-induced bone disease, 470
Anthropometry. *See also* Skinfold thickness
  correlation with weight-height indices, 540
  in obesity, 22
  relation to diet and hormone concentrations in postmenopausal women, vegetarians vs nonvegetarians, 798
  reliability of measurements, in Hispanic Health and Nutrition Examination Survey, 902
Antimicrobial proteins, in maternal and cord serum and human milk, maternal nutritional status and, 183
Antioxidants, during bone marrow transplantation conditioning therapy, 216
Apolipoprotein A1 (apo A1)
  plasma, low-dose n-3 fatty acids and, 599
  serum
    butter, corn oil or high-oleic acid sunflower oil diet and, 815
    fish-enriched diet and, 393
Apolipoprotein B (apo B)
  plasma, low-dose n-3 fatty acids and, 599
  serum
    butter, corn oil or high-oleic acid sunflower oil diet and, 815
    fish-enriched diet and, 393
Apoprotein A1 (apo A1), intestinal synthesis and serum level, during weaning, dietary lipids and (piglet), 47
Apoprotein B (apo B), serum level, during weaning, dietary lipids and (piglet), 47
Appetite, in Prader-Willi syndrome, pancreatic polypeptide infusion and, 162
Arachidonate, in serum phospholipids, vegetarian diet and, 385
Arachidonic acid, in plasma and red cell phospholipids of low-birth-weight infant, formula feeding vs breast milk feeding, 994
Arrhythmia, cardiac, dietary intervention in (rat), 53
Ascorbic acid. *See* Vitamin C
Aspartame
  dietary, effect on food intake and body weight, 963
  preload, food intake and, 428
Aspartate aminotransferase, erythrocyte, aging and (rat), 446
Athletes
  dietary patterns, gastrointestinal complaints and nutrition knowledge of recreational triathletes, 690
  fluid replacement. *See* Carbohydrate-electrolyte beverages
  physical training and copper, iron and zinc status of swimmers, 1093
Autoimmunity, diet and, 489

Ballet dancers, stress fractures in, nutrition and, 779
Beans, canned, in hyperlipidemia, 1013
Bedouin Infant Feeding Study, 343
Beer, and copper deficieny (rat), 869
Bile acids, low vs high dietary fiber intake and, 1007
Bioelectric impedance analysis (BIA)
  in elderly subjects, 3
  skinfold thickness measurements vs, 571
Biotin deficiency, skin findings (rat), 853
Biotinidase deficiency, in rat, 853
Birth weight
  maternal growth during pregnancy and, 790
  maternal serum zinc concentration and, 678

Am J Clin Nutr 1990;51:1122–31. Printed in USA. © 1990 American Society for Clinical Nutrition

Bleeding, gastrointestinal, in triathletes, 690
Bleeding time, fish oil supplementation and, in hypertriglyceridemia, 399
Blood pressure
  caffeine and, 759
  dietary unsaturated fatty acids and, 1028
  magnesium supplementation and, 665
  in obese non-insulin-dependent diabetics, very-low-calorie diet and, 768
Body composition
  adipose tissue distribution, assessment, CT scan vs MRI, 953
  in AIDS patient, 7
  dual-energy x-ray absorptiometry, 1106
  geriatric population
    bioelectric impedance analysis, 3
    TOBEC assessment, 548
  in middle-aged persons, TOBEC assessment, 548
  in obesity, 22
  skinfold thickness measurements, accuracy of, 571
  very-low-calorie diet and, 167
Body fat
  adult men, smoking and, 784
  distribution of
    assessment, CT scan vs MRI, 953
    intensity of physical activity and, 153
  in geriatric population, bioelectric impedance analysis, 3
  patterning
    in Mexican-American children, 936
    and muscle function and morphology associated with weight reduction on very-low-calorie diet, 321
Body fatness. *See also* Obesity
  intensity of physical activity and, 153
Body mass
  fat-free. *See* Fat-free mass
  indices, 540
  lean, in estimation of resting energy expenditure in children on TPN, 958
  loss of, diet- and exercised-induced, exercise intensity and, 142
Body mass index (BMI), in geriatric population, 3
Bombesin, in human milk, postpartum changes, 985
Bone density, in ballet dancers, stress fractures and, 779
Bone disease, metabolic, TPN-induced, animal model, 470
Bone marrow transplantation, radiochemotherapy for, plasma vitamin E and β-carotene status and, 216
Bone mineral density, dual-energy x-ray absorptiometry, 1106
Book Reviews
  Atlas of Nutritional Support Techniques, JL Rombeau (ed), 707
  Dietary Fiber Research, Z Madar & H Selwyn Odes. In R Paoletti (ed), Progress in Biochemical Pharmacology (Vol 24), 1118
Brain
  developmental long-chain polyunsaturated fatty acid accretion in, fatty acid composition of formula and (piglet), 173
  synaptosomal fatty acid level, fish-oil-supplemented formula feeding and (piglet), 1001
Brazelton Neonatal Assessment Scale, Egyptian neonates, maternal vitamin B-6 status and, 1067
Breast cancer, anthropometry-diet-hormone relationships, in Seventh Day Adventists, 798
Breast-feeding
  infant vitamin B-12 status and, 209
  insulin-dependent diabetes mellitus and, 489
  and intestinal and hepatic cholesterol metabolism (piglet), 979
Breath tests
  ^{13}C-glucose and ^{13}C-lactose absorption by premature infants, 59
  pasta cooking time, glycemic response and starch digestion, 421
Burn trauma
  severe, in pediatric patients, calorie and protein provision in, 553
  very early nutrition supplementation in, 1035
Butyrate, supplementation of TPN, small bowel mucosa effects (rat), 685

Caffeine, thermogenic, metabolic and cardiovascular effects, 759
Calcium
  absorption, from kale, 656
  bioavailability
    in kale, 656
    in macrobiotic diet, rickets and, 202
  dietary, source of, and iron absorption in postmenopausal women, 95
  intestinal absorption, vitamin A and, 290
Caloric restriction. *See* Diet, calorie-restricted
Calorie provision, in severely burned pediatric patients, 553
Calorie requirements, 711
Calorimetry, indirect
  energy metabolism after weight reduction, 578
  resting energy expenditure
    in children on TPN, 958
    predictive equation for, 241
  substrate utilization during cyclic/continuous TPN, 107
  24-hour energy expenditure measurements, repeatability of, 147
Cancer
  diet and, 991
  in Japanese population, 991
Canola oil
  dietary, eicosapentaenoic acid in platelet alkenylacyl ethanolamine phosphoglyceride and, 594
  n-3 fatty acids in, 809
Carbohydrate
  dietary intake
    plasma pyridoxal phosphate and total vitamin B-6 and, 832
    by triathletes, 690
  insulinogenic properties of, chromium nutrition and, 864
  source in traditional Pima Indian meal, 416
  unavailable, digestible-energy values for, 617
Carbohydrate-electrolyte beverages, fluid availability of, 1054
Carbon dioxide production, 24-hour measurements, repeatability of, 147
Carboxylases, biotin-dependent, in skin, biotin deficiency and (rat), 853
Cardiac enlargement, in copper deficiency, 869
Carnitine
  plasma, during hemodialysis, 407
  red cell, during hemodialysis, 407
L-Carnitine, in hemodialysis, plasma and red cell carnitine and carnitine esters during, 407
β-Carotene, plasma, during bone marrow transplantation conditioning therapy, 216
Casein, in human milk, analysis of, 37
Casein subunits, in human milk, analysis of, 37
Catecholamine, secretion, in burn patient, 1035
Cation metabolism, in erythrocytes, magnesium supplementation and, 665
Celiac disease, pica and, 139
Cellulose, dietary composition and fecal excretion, vegetarian vs nonvegetarian males, 365
Cephalic phase. *See* Gastric acid, secretion
Ceruloplasmin, dietary copper intake and, 658
Cervical dysplasia, folate status and, 80
Cetoleic acid, dietary, incorporation into adipose tissue (rabbit), 535
Chemiluminescence, generation by monocytes, dietary n-3 fatty acid supplementation and, 804
Chemosensory dysfunction, dietary behavior and, 233
Chemotherapy, irradiation and, for bone marrow transplantation, plasma vitamin E and β-carotene status and, 216
China, riboflavin status in, 436
Cholecalciferol, intestinal calcium absorption and, 290
Cholesterol
  HDL, butter, corn oil or high-oleic acid sunflower oil diet and, 815
  metabolism
    intestinal and hepatic, in breast-fed vs formula-fed piglets, 979
    low vs high dietary fiber intake and, 1007
  plasma, beer drinking and (rat), 869
  serum
    butter, corn oil or high-oleic acid sunflower oil diet and, 815
    canned bean diet and, 1013
    fish-enriched diet and, 393
    glomerulosclerosis and, 606
    low vs high dietary fiber intake and, 1007
    shellfish diet and, 1020

Cholesterol esters, serum, fish-enriched diet and, 393
Cholestyramine resin, in aminonucleoside nephrosis (rat), 606
Chromatography
  anion-exchange, casein and casein subunits in human milk, 37
  fast protein liquid, casein and casein subunits in human milk, 37
  high performance liquid (HPLC), vitamin K in plasma and liver of surgical patients, 846
Chromium nutrition, insulinogenic properties of carbohydrates and, 864
Cigarette smoking
  dietary intake, physical activity and body fat of adult men and, 784
  and dietary intake during pregnancy, 29
  vitamin B-6 status and, 1058
Climate, and energy requirements, 711
Coconut oil. *See* Tropical oils
Colon cancer, fecal mutagens and, 938
Color of food, cephalic phase of gastric acid secretion and gastrin release and, 794
Colostrum, gastrointestinal regulatory peptides in, 985
Complement components, in human milk, maternal nutritional status and, 183
Compliance, treatment
  diet assessment in hypertension prevention trial, 253
  monitoring, *p*-aminobenzoic acid use in, 485
Computed tomography (CT scan), measurement of adipose tissue distribution, MRI vs, 953
Computerized dietary assessment, 477
Copper
  balance, in gastroenteritis, copper supplementation and, 1088
  requirement, 658
  in saliva, plasma and hair, age- and sex-related differences, 462
  status
    in competition swimmers, training regimen and, 1093
    dietary copper intake and, 658
  supplementation, in gastroenteritis, copper and zinc balance and, 1088
Copper deficiency, beer drinking for (rat), 869
Cord serum, antimicrobial proteins in, maternal nutritional status and, 183
Creatinine, urinary excretion, in estimation of resting energy expenditure in children on TPN, 958
CT scan. *See* Computed tomography

Death, sudden, dietary intervention and (rat), 53
Densitometry, in geriatric population, 3
Deoxyuridine suppression test (dUST), evaluation of relation between folate status and cervical dysplasia, 80
Deuterium, labeling of folate, for assessment of bioavailability, 212
Deuterium oxide, plasma accumulation profile, fluid availability of carbohydrate-electrolyte beverages, 1054
Diabetes mellitus
  acetate tolerance and utilization in, 112
  insulin-dependent, cow's milk and (rodents), 489
  non-insulin-dependent (type 2)
    metabolic control in, very-low-calorie diet and, 768
    in nursing home residents, dietary management, 67
    very-low-calorie diet in, effect on metabolic control and cardiovascular risk factors, 768
Diarrheal disease. *See also* Gastroenteritis
  nutritional supplementation during, responsiveness of weight and length to, 359
Diet
  assessment
    computerized technique vs weighed food record, 477
    in hypertension prevention trial, 253
  available energy in, digestible-energy values of unavailable carbohydrates, 617
  calorie-restricted, exercise and, body mass loss, 142
  cancer and, 991
  fish-enriched, effect on serum lipids and apolipoproteins, 393
  fish intake, n-3 to n-6 fatty acid ratio in cultured vs wild fish, 1
  and hormone interrelationships, vegetarian vs nonvegetarian males, 371
  hypolipidemic, shellfish in, 1020
  and insulin-dependent diabetes mellitus (rodents), 489
  in Japan, changing patterns, 991
  macrobiotic, infantile rickets and, 202
  for non-insulin-dependent diabetics in nursing homes, 67
  in postmenopausal women, relation to adiposity and hormone concentrations, 798
  postoperative, vitamin K in plasma and liver and, 846
  during pregnancy, smoking and social class and, 29
  tropical oil intake, 738
  vegetarian. *See* Diet, macrobiotic; Vegetarian
  very-low-calorie
    composition of, albumin and labile protein serum concentrations and, 338
    metabolic effects, 167
    muscle strength, endurance and fiber composition and, 321
    in obese non-insulin-dependent diabetics, effect on metabolic control and cardiovascular risk factors, 768
  vitamin D status and, in elderly nursing home population, 1075
  weight change in women and, 1100
Diet record, manganese intake, serum concentrations, and urinary excretion in adult males, 457
Digestible-energy value, for unavailable carbohydrates, 617
1,25-Dihydroxycholecalciferol
  intestinal calcium absorption and, 290
  serum, in elderly nursing home population, 1075
Docosahexaenoic acid. *See also* Fatty acids, n-3
  dietary, incorporation into adipose tissue (rabbit), 535
  in plasma and red cell phospholipids of low-birth-weight infant, formula feeding vs breast milk feeding, 994
Dual-energy x-ray absorptiometry, bone mineral density and total-body soft-tissue composition, 1106
Dysgeusia, dietary behavior and, 233
Dysosmia, dietary behavior and, 233

Eating behavior, in ballet dancers, stress fractures and, 779
Eicosahexaenoic acid. *See also* Fatty acids, n-3
  dietary, incorporation into adipose tissue (rabbit), 535
Eicosapentaenoic acid
  in cultured vs wild fish, 1
  in platelet alkenylacyl ethanolamine phosphoglyceride, dietary canola oil and, 594
Electrophoresis, gel, casein and casein subunits in human milk, 37
Energy balance, in AIDS patient, preservation of, 7
Energy cost, of walking, at fixed (treadmill) pace and self-paced, before, during and after pregnancy, 158
Energy expenditure
  after weight reduction, 578
  breast-fed vs formula-fed infants, 350
  caffeine and, 759
  components of, 711
  in Gambian males, 563
  metabolic, in severely burned pediatric patient, 553
  in obesity, 14
  resting (REE), 711
    in children on TPN, estimation of, 958
    predictive equation for, 241
    very-low-calorie diet and, 167
  24-hour measurements, indirect calorimetry, 147
Energy intake
  adult men, smoking and, 784
  breast-fed vs formula-fed infants, 350
  low, nutritional adaptation to, 309
  pattern changes in middle-aged men (1960–1985), 123
  supplementation, in hemodialysis, nutritional status and, 558
  by triathletes, 690
Energy metabolism, after weight reduction, adaptation to low-energy intake in, 578
Energy production rate, in obese non-insulin-dependent diabetics, very-low-calorie diet and, 768
Energy requirements, 711
  breast-fed vs formula-fed infants, 350
  in Gambian males, 563
  24-hour, 241
Energy stress, nutritional adaptation in, 309

Enterocytes, basolateral membranes, glutamine transport, 612
Epidemiology, weight-height indices, 540
Erythrocyte(s)
  aspartate aminotransferase activity, aging and (rat), 446
  carnitine and carnitine ester levels, during hemodialysis, 407
  cation metabolism, magnesium supplementation and, 665
  developmental long-chain polyunsaturated fatty acid accretion in, fatty acid composition of formula and (piglet), 173
  glutathione reductase activity
    in anemia, 453
    riboflavin status in China, 436
  phospholipid fatty acid level, fish-oil-supplemented formula feeding and (piglet), 1001
  pyridoxal-5′-phosphate level, in cigarette smokers, 1058
  superoxide dismutase, copper status and, 658
Estradiol-17β
  binding by dietary fiber, 365
  plasma and fecal concentration, dietary nutrients and, 371
  in postmenopausal women, vegetarians vs nonvegetarians, 798
Estrone
  binding by dietary fiber, 365
  plasma and fecal concentration, dietary nutrients and, 371
Ethanolamine phosphoglyceride, alkenylacyl fraction, of platelets, eicosapentaenoic acid in, dietary canola oil and, 594
Exercise. *See also* Physical activity
  fluid replenishment in. *See* Carbohydrate-electrolyte beverages
  intensity of
    in diet- and exercise-induced body mass loss, 142
    effect on body fatness and fat distribution, 153

Factor analysis, in obesity, 22
Fat, body. *See* Body fat
Fat-free mass
  in geriatric population, 3
    TOBEC prediction of, 548
  loss of, in diet and exercise program, 142
  in obesity, 14
  TOBEC-predicted, in middle-aged and elderly persons, 548
Fats, dietary
  cardiac arrhythmia and (rat), 53
  developmental accretion of brain fatty acids and (piglet), 173
  fecal mutagens and, 698
  in Japanese diet, 991
  oxidation and (letter), 1114
Fatty acids
  composition in serum cholesterol esters and triglycerides, fish-enriched diet and, 393
  composition of infant formula, developmental tissue fatty acid accretion and (piglet), 173
  essential
    dietary, incorporation into adipose tissue (rabbit), 535
    in vegetable oils, 809
    vegetarian diet and, 385
  monounsaturated, serum HDL-cholesterol and, 815
  n-3. *See also* Fatty acids, essential/polyunsaturated; Fish oil
    dietary, incorporation into adipose tissue (rabbit), 535
    in infant formula, brain, liver, plasma and red cell phospholipids and (piglet), 1001
    low dose, effects on lipids, lipoproteins and apolipoproteins, 599
    supplementation, monocyte function and, 804
    in vegetable oils, 809
  nonesterified, acetate infusion and, diabetic vs nondiabetic subjects, 112
  plasma, in obese non-insulin-dependent diabetics, very-low-calorie diet and, 768
  in plasma and red cell phospholipids of low-birth-weight infant, formula feeding vs breast milk feeding, 994
  polyunsaturated
    antiarrhythmogenic effects (rat), 53
    effect on blood pressure and plasma lipoprotein concentration, 1028
    in Japanese diet, 991
    long-chain, plasma level, fatty acid composition of formula and (piglet), 173
    n-3 to n-6 ratio, in cultured vs wild fish, 1
    serum HDL-cholesterol and, 815
  saturated
    in Japanese diet, 991
    plasma prolactin and, 371
    tropical oils, 738
  short-chain, supplementation of TPN, small bowel mucosa effects (rat), 685
  in skin, biotin deficiency and (rat), 853
Fecapentaene, production and excretion, 698
Fenretinide, plasma retinol-binding protein concentration and, 1082
Ferritin, plasma, in anemia, malaria and riboflavin deficiency and, 453
Fiber, dietary
  canned beans, serum lipid response and, 1013
  content and composition in foods, glycemic index and, 72
  digestible-energy value, 617
  fecal mutagens and, 698
  relation to adiposity and hormone concentrations, in postmenopausal women, 798
  and serum, biliary and fecal lipids in middle-aged men, 1007
  steroid hormone binding by, 365
Fish
  dietary intake, effect on serum lipids and apolipoproteins, 393
  n-3 to n-6 fatty acid ratio, cultured vs wild species, 1
Fish oil. *See also* Fatty acids, polyunsaturated
  antiarrhythmogenic effects (rat), 53
  in hypertriglyceridemia, 399
  n-3 fatty acid effects on lipids, lipoproteins and apolipoproteins, 599
  n-3 fatty acid incorporation into adipose tissue (rabbit), 535
  supplementation, infant formula, brain, liver, plasma and red cell phospholipids and (piglet), 1001
Fluid availability, of carbohydrate-electrolyte beverages, 1054
Fluid replacement, by triathletes, 690
Folate conjugase. *See* Pteroylpolyglutamate hydrolase
Folate (folic acid)
  absorption, 531
  bioavailability
    food composition and, 87
    stable isotope methods for assessment, 212
  status, and cervical dysplasia, 80
Food
  color of. *See* Color of food
  thermic effect of. *See* Thermic effect of feeding (food)
Food coloring, cephalic phase of gastric acid secretion and gastrin release and, 794
Food composition
  fiber content and composition, glycemic index and, 72
  folate bioavailability and, 87
  n-3 to n-6 fatty acid ratio in cultured vs wild fish, 1
Food efficiency, starvation and refeeding in obesity and (rat), 970
Food-energy values, unavailable carbohydrates, 617
Food intake
  adult men, smoking and, 784
  in AIDS, 7
  chemosensory dysfunction and, 233
  effects of aspartame and high-fructose corn syrup intake and, 963
  effects of fructose, aspartame, and glucose preload on, 428
  during gastric balloon inflation, 584
  in metabolic balance studies, monitoring compliance with *p*-aminobenzoic acid, 485
  pattern changes in middle-aged men (1960–1985), 123
  in Prader-Willi syndrome, pancreatic polypeptide infusion and, 162
  during pregnancy, smoking and social class and, 29
  tropical oil intake, 738
Formula feeding. *See* Infant nutrition
Fractures
  in elderly males in nursing homes, osteopenia and, 100
  stress, in ballet dancers, nutrition and, 779
Fructose
  dietary, effect on food intake and body weight, 963
  insulinogenic properties of, chromium nutrition and, 864
  preload, food intake and, 428

β-Galactosidase, lactose hydrolysis by, temperature and, 197
Gastric acid, secretion, cephalic phase, effects of food coloring and monosodium glutamate on, 794
Gastric balloon, for obesity, 584
Gastric bypass, for morbid obesity, cardiovascular risk factors and, 774
Gastric emptying, during gastric balloon inflation, 584
Gastric inhibitory peptide, in human milk, postpartum changes, 985
Gastrin, release, effects of food coloring and monosodium glutamate on, 794
Gastroenteritis, copper supplementation in, copper and zinc balance and, 1088
Gastrointestinal peptides, in human milk, postpartum changes, 985
Gastrointestinal tract, complaints, in triathletes, 690
Geophagia, 139
Geriatric population
  body composition
    bioelectric impedance analysis, 3
    TOBEC assessment, 548
  clinical chemistry reference intervals (letter), 1115
  energy requirements, 711
  non-insulin-dependent diabetics in nursing home, dietary management, 67
  osteopenia in men in nursing home, 100
  protein requirements, 723
  in rehabilitation unit, nutrition status and prognosis, 749
  trauma in, plasma free amino acid concentration and, 1040
  vitamin C disposition in elderly men, 837
  vitamin D status, sunlight exposure and diet and, 1075
  zinc, magnesium, copper and protein concentrations in saliva, plasma and hair, 462
Glomerulopathy, progressive, hypolipidemic agents in (rat), 606
Glomerulosclerosis, serum cholesterol and, 606
Glucagon, secretion, in burn patient, 1035
Glucose
  acute ingestion, plasma pyridoxal phosphate and total vitamin B-6 and, 832
  insulinogenic properties of, chromium nutrition and, 864
  intestinal absorption, in premature infants, 59
  plasma, in non-insulin-dependent diabetics, diabetic vs regular diet and, 67
  plasma response
    to pasta, cooking time and, 421
    to traditional Pima Indian meal, 416
  preload, food intake and, 428
Glucose load, thermic effect in obesity, weight reduction and, 331
Glucose polymer, for energy supplementation in hemodialysis, 558
Glutamine, intestinal transport, via basolateral membrane vesicles, 612
Glutathione reductase
  in anemia, 453
  erythrocyte, riboflavin status in China, 436
Glycemic index
  dietary fiber content and composition in food and, 72
  mixed meals and (letter), 1113
  pasta, cooking time and, 421
  traditional Pima Indian meal, 416
Growth and development
  age-specific responsiveness to nutritional supplementation, 359
  Bedouin Arab infants, 343
  in breast-fed infants (letter), 892
  breast-fed vs formula-fed infants, 350
  dietary substitution of ketoanalogues in uremia and (rat), 1046
  maternal growth during pregnancy, decreased infant birth weight and, 790
  Mexican-American children. *See* Hispanic Health and Nutrition Examination Survey
  socioeconomic status and, in Mexican-American children, 944
Growth failure, pica and celiac disease and, 139

Hair, zinc, magnesium, copper and protein concentrations in, age- and sex-related differences, 462
Heart disease, ischemic
  copper deficiency and, 869
  in Japanese population, 991
Heart rate, caffeine and, 759
Height. *See also* Stature
  weight and. *See* Weight-height indices
Hemicellulose, dietary composition and fecal excretion, vegetarian vs nonvegetarian males, 365
Hemodialysis
  L-carnitine therapy during, plasma and red cell carnitine and carnitine esters and, 407
  energy supplementation and nutritional status, 558
Hemoglobin, glycosylated, in non-insulin-dependent diabetics, diabetic vs regular diet and, 67
Herman Award Lecture, folate absorption: clinical questions and metabolic answers, 531
Hispanic Health and Nutrition Examination Survey, 897
  anthropometric measurements in, reliability of, 902
  fat patterning and central obesity in children, 936
  kernal regression for smoothing percentile curves of skinfold measurements, 908
  reference data for weight, stature and weight/stature, 917
  skinfold thickness distributions, 925
  socioeconomic status and growth, 944
Hispanic population
  growth of Mexican-American children. *See* Hispanic Health and Nutrition Examination Survey
  iron status in (letter), 316
Hydrogen breath test
  ^{13}C-glucose and ^{13}C-lactose absorption by premature infants, 59
  pasta cooking time, glycemic response and starch digestion, 421
25-Hydroxycholecalciferol, serum, in elderly nursing home population, 1075
Hydroxyproline, urinary excretion, vitamin C status and, 644
Hyperalimentation, parenteral. *See* Parenteral nutrition, total
Hypercholesterolemia
  in chronic aminonucleoside nephrosis (rat), 606
  fish oil supplementation in, 399
Hyperlipidemia
  canned bean diet in, 1013
  glomerulopathy and, 606
Hypermetabolism, in burn trauma, 1035
Hypertension
  magnesium supplementation in, 665
  prevention trial, diet assessment in, 253
Hypertriglyceridemia
  fish oil supplementation in, 399
  low-dose n-3 fatty acids in, 599

Immune deficiency, acquired. *See* AIDS
Immunocompetence, augmentation of, tyrosine- and phenylalanine-restricted formula diet and, 188
Immunoglobulins
  IgA, in human milk, maternal nutritional status and, 183
  IgG, in maternal and cord serum and human milk, maternal nutritional status and, 183
Infant behavior, maternal vitamin B-6 status and, 1067
Infant nutrition
  antigenicity of soy formulas (letter), 705
  ^{13}C-glucose and ^{13}C-lactose absorption by premature infants, 59
  energy utilization of breast-fed vs formula-fed infants, 350
  fatty acid composition of formula, developmental accretion of brain fatty acids and (piglet), 173
  fish-oil-supplemented formula feeding, brain, liver, plasma and red cell phospholipids and (piglet), 1001
  growth in breast-fed infants (letter), 892
  intestinal and hepatic cholesterol metabolism, in breast-fed vs formula-fed piglets, 979
  macrobiotic diets and rickets, 202
  plasma and red cell fatty acids in low-birth-weight infants, formula feeding vs breast milk feeding, 994
  serum myoinositol in prematures fed human milk, formula and parenteral nutrition, 589
  undernutrition among Bedouin Arab infants, 343

vitamin B-12 status, breast-fed vs formula-fed infants, urinary methylmalonic acid excretion and, 209
weaning, serum lipoproteins during, dietary lipids and (piglet), 47
Infection, anemia and, 453
Insulin
chromium metabolism and, 864
plasma response
to pasta, cooking time and, 421
to traditional Pima Indian meal, 416
Intestinal absorption, ^{13}C-glucose and ^{13}C-lactose, in premature infants, 59
Intestine
apoprotein A1 synthesis, dietary lipids and (piglet), 47
calcium absorption, vitamin D and, 290
cholesterol metabolism, in breast-fed vs formula-fed piglets, 979
glutamine transport via basolateral membrane vesicles, 612
pteroylpolyglutamate hydrolase activity, food composition and, 87
small, mucosal effects of short-chain fatty acid supplementation of TPN (rat), 685
Iron
absorption
in postmenopausal women, dietary calcium source and, 95
traditional Oriental soy products and, 873
vitamin C supplementation and, 649
bioavailability, vitamin C supplementation and, 649
metabolism
adaptation in, 301
vitamin A supplementation and, 76
retention, in postmenopausal women, dietary calcium source and, 95
status
in competition swimmers, training regimen and, 1093
in Hispanics (letter), 316
Iron balance, vitamin C supplementation and, 649
Iron deficiency
in celiac disease, pica and, 139
effect on thymulin biologic activity, T-cell subsets, and thymocyte proliferation (mice), 228
Irradiation, chemotherapy and, for bone marrow transplantation, plasma vitamin E and β-carotene status and, 216
Isoleucine, ketoanalogue, in rat, 1046
Isotope studies
branched-chain keto acids vs branched-chain amino acids in protein synthesis (rat), 411
^{13}C-glucose and ^{13}C-lactose absorption, in premature infants, 59
conversion of carbon-labeled acetate to carbon dioxide, 248
folate bioavailability, 212
selenium status, 670

Japanese population, changing dietary patterns, 991

Kale, calcium absorption from, 656
Kernal regression, 908
Ketoanalogues, nutritional efficiency, 411
in uremia (rat), 1046
2-Ketoisocaproate, nutritional efficiency (rat), 411, 822
2-Ketoisovalerate, nutritional efficiency (rat), 411
Ketone bodies, very-low-calorie diet and, 167
Kinetics, protein and amino acid, in nutritional adaptation, 270

Laboratory tests, clinical chemistry reference intervals for healthy elderly subjects(letter), 1115
Lactaid, lactose hydrolytic capacity of, temperature and, 197
Lactase tablet, for lactose maldigestion (letter), 890
Lactate, plasma, caffeine and, 759
Lactation
antimicrobial proteins in human milk, maternal nutritional status and, 183
dietary protein and nitrogen balance during, 378
energy requirements during, 711
length of, selenium content of milk and, 220
protein requirements during, 723
pyridoxine supplementation during
B-6 vitamers in milk and, 1062
maternal nutrition status and vitamin B-6 concentration in milk and, 826
vitamin B-6 supplementation during (letter), 1116
Lactose, intestinal absorption, in premature infants, 59
Lactose intolerance, in premature infants, 59
Lactose maldigestion
preincubation of milk with Lactaid for, 197
relative efficiency of commercial lactase tablet (letter), 890
Lathosterol, serum, low vs high dietary fiber intake and, 1007
Legumes, canned, in hyperlipidemia, 1013
Letters to the editor, 316, 492, 705, 890, 1113
Leucine, fate after ingestion (rat), 822
Lignin, dietary composition and fecal excretion, vegetarian vs nonvegetarian males, 365
Linolenic acid, in canola oil, 594
α-Linolenic acid, in vegetable oils, 809
Lipid(s)
dietary, during weaning (piglet), 47
n-3, vegetarian diet and, 385
plasma
fish oil supplementation and, in hypertriglyceridemia, 399
low-dose n-3 fatty acids and, 599
shellfish diet and, 1020
serum
after gastric bypass for morbid obesity, 774
arachidonate in, vegetarian diet and, 385
dietary fat and, 815
magnesium supplementation and, 665
in obese non-insulin-dependent diabetics, very-low-calorie diet and, 768
Lipid peroxidation, in riboflavin-deficient, malaria-infected children, 859
Lipoproteins, plasma
after gastric bypass for morbid obesity, 774
dietary unsaturated fatty acids and, 1028
fish oil supplementation and, in hypertriglyceridemia, 399
low-dose n-3 fatty acids and, 599
shellfish diet and, 1020
Liver
cholesterol metabolism, in breast-fed vs formula-fed piglets, 979
copper in, beer drinking and (rat), 869
developmental long-chain polyunsaturated fatty acid accretion in, fatty acid composition of formula and (piglet), 173
phospholipid fatty acid level, fish-oil-supplemented formula feeding and (piglet), 1001
retinol-binding protein in, vitamin A status and, 638
vitamin A in, retinol-binding protein level and, 638
vitamin K concentrations in surgical patients, 846
Lymphocytes, TPN regimens and, 119
Lysozyme, in human milk, maternal nutritional status and, 183

Macrophage, glomerular, hyperlipidemia and, 606
Magnesium
in saliva, plasma and hair, age- and sex-related differences, 462
supplementation, in essential hypertension, metabolic and hemodynamic effects, 665
Magnetic resonance imaging (MRI), measurement of adipose tissue distribution, CT scan vs, 953
Malabsorption
in AIDS, 7
iron deficiency and, pica in, 139
starch, in methane producers, breath hydrogen test and, 421
Malaria
anemia and, 453
riboflavin deficiency and, plasma malonyldialdehyde in, 859
Malnutrition
age-dependent risk patterns, nutritional supplementation and, 359
in AIDS patient, 7
Malonyldialdehyde, plasma, in riboflavin-deficient, malaria-infected children, 859
Manganese, dietary intake, serum concentration, and urinary excretion in adult males, 457
Menaquinone, liver concentration, in surgical patient, 846

Metabolic alkalosis, acetate infusion and, in diabetic and nondiabetic subjects, 112
Metabolic balance studies, monitoring compliance with diet, *p*-aminobenzoic acid in, 485
Metabolic rate
  in AIDS patient, 7
  basal, in Gambian males, 563
  breast-fed vs formula-fed infants, 350
Metabolism
  effects of fructose, aspartame, and glucose preload on food intake and, 428
  and nutritional adaptation, 264
    altered protein and amino acid intake, 270
  very-low-calorie diet and, 167
Methane breath test, pasta cooking time, glycemic response and starch digestion, 421
3-Methylhistidine, urinary, in lactating and nonlactating women, 378
Methylmalonic acid, urinary excretion, in breast-fed vs formula-fed infants, 209
Milk
  cow's, and insulin-dependent diabetes mellitus (rodents), 489
  human
    antimicrobial proteins in, maternal nutritional status and, 183
    B-6 vitamers in, after oral pyridoxine supplementation, 1062
    casein and casein subunits in, 37
    gastrointestinal regulatory peptides in, postpartum changes, 985
    myoinositol in, 589
    selenium content, maternal nutrition, parity and length of lactation and, 220
    vitamin B-6 concentration, maternal pyridoxine supplementation and, 826
    vitamin B-6 in, infant behavior and, 1067
Minerals
  dietary intake, by triathletes, 690
  supplementation, by triathletes, 690
Mitogenic response, thymocytes, iron deficiency and (mice), 228
Monocytes, function of, dietary n-3 fatty acid supplementation and, 804
Monosodium glutamate, cephalic phase of gastric acid secretion and gastrin release and, 794
Mother-infant interaction, maternal vitamin B-6 status and, 1067
MRI. *See* Magnetic resonance imaging
Muscles, strength, endurance and morphology, very-low-calorie diet and, 321
Mutagens. *See* Fecapentaene
Myoinositol, serum, in premature infants fed human milk, formula and parenteral nutrition, 589

Neutral detergent fiber, dietary composition and fecal excretion, vegetarian vs nonvegetarian males, 365
Nitrogen balance
  dietary substitution of ketoanalogues in uremia and (rat), 1046
  in lactating and nonlactating women, 378
  and protein requirements, 723
  in severely burned pediatric patients, 553
NK (natural killer) cells
  activity of, tyrosine- and phenylalanine-restricted formula diet and, 188
  TPN regimens and, 119
Nursing home population
  non-insulin-dependent diabetics, dietary management, 67
  osteopenia in men, 100
  vitamin D status, sunlight exposure and diet and, 1075
Nutrient intake
  in ballet dancers, stress fractures and, 779
  chemosensory dysfunction and, 233
  pattern changes in middle-aged men (1960–1985), 123
  during pregnancy, smoking and social class and, 29
  quantitation of, computerized technique vs weighed food record, 477
Nutrition
  in AIDS, 7
  in ballet dancers, stress fractures and, 779
  dietary intake. *See* Food intake; Nutrient intake
  total parenteral. *See* Parenteral nutrition, total
Nutritional adaptation
  to altered energy intake, 264
  to altered protein and amino acid intake, 270
  American Society for Clinical Nutrition/American Institute of Nutrition symposium, 258
  concepts of, 259
  intestinal calcium absorption, vitamin D and, 290
  in iron metabolism, 301
  to low energy intakes, 309
Nutritional status. *See also specific nutrient*
  Bedouin Arab infants, 343
  dietary intake assessment, computerized technique vs weighed food record, 477
  in geriatric rehabilitation patients, prognosis and, 749
  in hemodialysis, energy supplementation and, 558
  maternal, antimicrobial proteins in cord serum and human milk and, 183
Nutritional supplementation. *See also specific nutrient*
  age-specific responsiveness of weight and length to, 359
  very early (VENS), for burn trauma, 1035
Nutritional surveys
  changes in food and nutrient intake in middle-aged men (1960–1985), 123
  Hispanic Health and Nutrition Examination Survey, 897. *See also* Hispanic Health and Nutrition Examination Survey
  patterns of weight change and relation to diet in healthy women, 1100
  riboflavin status in China, 436
  trend changes in use and current intake of tropical oils, 738
Nutrition Evaluation Scale System, for quantitating individual dietary intake, weighed food record vs, 477
Nutrition knowledge, of triathletes, 690

Obesity
  adipose tissue distribution, assessment, CT scan vs MRI, 953
  caffeine in, thermogenic, metabolic and cardiovascular effects, 759
  in children, 22
  diet-induced, food efficiency in refeeding (rat), 970
  energy requirement in, predictive equation for, 241
  gastric balloon for, 584
  measures of adiposity, 22
  in Mexican-American children, 936
  morbid, gastric bypass for, cardiovascular risk factors and, 774
  patterns of weight change and relation to diet in healthy women, 1100
  skinfold thickness measurements in, accuracy of, 571
  thermic effect of food in, 14
  thermic response to glucose in, 331
  very-low-calorie diet in
    metabolic effects, 167
    muscle function and morphology and, 321
  weight-height indices, 540
Olfaction, dysfunctional. *See* Dysosmia
Osteopenia, in elderly males in nursing home, 100
Osteoporosis, in elderly males in nursing home, 100
Overfeeding, nutritional adaptation to, 264
Oxidation
  fat intake and (letter), 1114
  substrate. *See* Substrate oxidation
Oxygen consumption
  in obesity, 14
  24-hour measurements, repeatability of, 147

Palm kernal oil. *See* Tropical oils
Palm oil. *See* Tropical oils
Pancreatic polypeptide, infusion, in Prader-Willi syndrome, 162
Parathyroid hormone, serum, in elderly nursing home population, 1075
Parenteral nutrition
  in premature infants, serum myoinositol concentration and, 589
  in severely burned pediatric patient, 553

total (TPN)
in children, estimation of resting energy expenditure in, 958
continuous, substrate utilization during, 107
cyclic, substrate utilization during, 107
effect on T-lymphocyte subpopulations and NK cells, 119
fecapentaene excretion and, 698
metabolic alterations, animal model, 470
short-chain fatty acid supplementation, small bowel mucosa effects (rat), 685
Parity, selenium content of milk and, 220
Pasta, cooking time, glycemic response and starch digestion and, 421
Pectin, dietary composition and fecal excretion, vegetarian vs nonvegetarian males, 365
Pediatric patient
age-specific responsiveness of weight and length to nutritional supplementation, 359
anemia, malaria and riboflavin deficiency and, 453
celiac disease, pica and, 139
energy requirements, 711
growth of Mexican-American children. *See* Hispanic Health and Nutrition Examination Survey
macrobiotic diet, rickets and, 202
obesity measurement in, 22
Prader-Willi syndrome, pancreatic polypeptide infusion in, 162
protein requirements, 723
severe burns in, calorie and protein provision in, 553
on TPN, estimation of resting energy expenditure in, 958
Pharmacokinetics, vitamin C, in young and elderly men, 837
Phenylalanine, dietary restriction of, immunocompetence and, 188
Phylloquinone, plasma and liver concentrations, in surgical patient, 846
Physical activity. *See also* Exercise
adult men, smoking and, 784
copper, iron and zinc status of competition swimmers, 1093
and energy expenditure, in Gambian males, 563
and energy requirements, 711
intensity of, effect on body fatness and fat distribution, 153
nutritional adaptation in, 309
spontaneous, after weight reduction, 578
Pica, celiac disease and, 139
Pima Indian, traditional meal, glycemic index, 416
Platelet(s)
aggregation of, tyrosine- and phenylalanine-restricted formula diet and, 188
alkenylacyl ethanolamine phosphoglyceride, eicosapentaenoic acid in, dietary canola oil and, 594
fish oil supplementation and, in hypertriglyceridemia, 399
Postmenopausal women
anthropometry-diet-hormone relationships, vegetarians vs nonvegetarians, 798
iron absorption and retention in, dietary calcium source and, 95
Poverty, growth and, 944
Prader-Willi syndrome, pancreatic polypeptide infusion in, 162
Prealbumin, serum, very-low-calorie diet and, 338
Pregnancy
dietary intake during, smoking and social class and, 29
energy cost of walking, at fixed (treadmill) pace and self-paced, 158
energy requirements during, 711
maternal growth during, decreased infant birth weight and, 790
maternal serum zinc level during, birth weight and, 678
protein requirements during, 723
Prematurity, carbohydrate assimilation and, 59
Prolactin, plasma, saturated fatty acid intake and, 371
Propionate, supplementation of TPN, small bowel mucosa effects (rat), 685
Prostate cancer, in vegetarian vs nonvegetarian males, dietary and hormonal evaluation, 365, 371
Protein(s)
altered dietary intake, nutritional adaptation and, 270
antimicrobial, in maternal and cord serum and human milk, maternal nutritional status and, 183
daily allowance, 723
digestibility, 723
in human milk, analysis of casein and casein subunits, 37
metabolism, in lactating women, 378
requirements, 723
in lactating women, 378
in saliva, plasma and hair, age- and sex-related differences, 462
soy, iron absorption and, 873
synthesis, branched-chain keto acids and (rat), 411
visceral, very-low-calorie diet and, 338
whole body, ^{14}C to ^{3}H ratio, after ingestion of labeled leucine and 2-ketoisocaproate (rat), 822
Protein-calorie undernutrition, in geriatric rehabilitation patients, prognosis and, 749
Protein-energy ratio, 723
Pteroylpolyglutamate hydrolase, intestinal activity, food composition and, 87
Pyridoxal, in human milk, pyridoxine supplementation and, 1062
Pyridoxal-5'-phosphate, plasma
aging and (rat), 446
in cigarette smokers, 1058
glucose load and, 832
in lactating mother, pyridoxine supplementation and, 826
Pyridoxine supplementation, during lactation
B-6 vitamers in milk and, 1062
maternal nutritional status and vitamin B-6 concentration in milk and, 826

Quetelet index, 540

Radiation therapy. *See* Irradiation
Red blood cell. *See* Erythrocyte
Retinol, plasma
fenretinide and, 1082
vitamin A status and, 638
Retinol-binding protein
metabolism, vitamin A status and, 638
plasma, fenretinide and, 1082
serum, very-low-calorie diet and, 338
Riboflavin
deficiency
anemia and, 453
malaria and, lipid peroxidation in, 859
status, in China, 436
Rickets, in infants, macrobiotic diets and, 202

Saliva, zinc, magnesium, copper and protein concentrations in, age- and sex-related differences, 462
Salt taste, sodium depletion and, 881
Selenite, exchangeable metabolic pools, 670
Selenium
in human milk, maternal nutrition, parity and length of lactation and, 220
status, isotope-dilution assessment, 670
Semistarvation. *See* Diet, very low calorie
Seventh Day Adventists
breast cancer in, anthropometry-diet-hormone relationships, 798
prostate cancer in, dietary and hormonal evaluation, 365, 371
Shellfish diet, lipoprotein response to, 1020
Skin, in biotin deficiency (rat), 853
Skinfold thickness
age- and sex-related distributions, in Mexican-American children, 925
correlation with weight-hight indices, 540
in geriatric population, 3
measurements
in obesity, accuracy of, 571
reliability of, in Hispanic Health and Nutrition Examination Survey, 902
in obesity, 22
percentile curves in Mexican-Americans, smoothing of, kernal regression for, 908
relation to diet and hormone concentrations in postmenopausal women, vegetarians vs nonvegetarians, 798
socioeconomic status and, 944
Smell. *See* Olfaction
Smoking. *See* Cigarette smoking

Social change, Bedouin Infant Feeding Study, 343
Social class, and dietary intake during pregnancy, 29
Sodium depletion, sensory effects, 881
Soft tissue, total-body, dual-energy x-ray absorptiometry, 1106
Soybean oil, n-3 fatty acids in, 809
Soy formula, antigenicity of (letter), 705
Soy protein, iron absorption and, 873
Starch
  insulinogenic properties of, chromium nutrition and, 864
  malabsorption, in methane producers, breath hydrogen test and, 421
Stature (recumbent length), reference data, for Mexican-American children, 917
Steroid hormones
  binding by dietary fiber, 365
  relationships to diet, vegetarian vs nonvegetarian males, 371
Steroids, fecal, low vs high dietary fiber intake and, 1007
Stomach, capacity, reduction of, gastric balloon for, 584
Stool analysis, for fecapentaenes, 698
Stress fracture, in ballet dancers, nutrition and, 779
Substrate oxidation
  during cyclic/continuous TPN, 107
  tracer studies, 248
Sugar, dietary intake, drinking aspartame-sweetened soda and, 963
Sunlight exposure, vitamin D status and, in elderly nursing home population, 1075
Superoxide, production by monocytes, dietary n-3 fatty acid supplementation and, 804
Superoxide dismutase, erythrocyte, dietary copper intake and, 658
Sympathetic nervous system, in obesity, 331
Synaptosomes, phospholipid fatty acid composition, fish-oil-supplemented infant formula and (piglet), 1001

Taste, sodium depletion and, 881
Taste dysfunction. *See* Dysgeusia
Temperature, lactose hydrolytic capacity of β-galactosidase and, 197
Testosterone
  binding by dietary fiber, 365
  plasma and fecal concentration, dietary nutrients and, 371
Thermic effect of feeding (food) (TEF)
  breast-fed vs formula-fed infants, 350
  in obesity, 14
Thermogenesis, 711
  caffeine-stimulated, 759
  diet-induced
    food efficiency and (rat), 970
    in Gambian males, 563
  glucose-induced, in obesity, weight reduction and, 331
  in obesity, 14
Thymocytes, mitogenic response, iron deficiency and (mice), 228
Thymulin, biologic activity, iron deficiency and (mice), 228
Thymus, in iron deficiency (mice), 228
T-lymphocytes
  subsets, iron deficiency and (mice), 228
  TPN regimens and, 119
TOBEC (total-body electrical conductivity), assessment of body composition in middle-aged and elderly persons, 548
α-Tocopherol, plasma, during bone marrow transplantation conditioning therapy, 216
TPN. *See* Parenteral nutrition, total
Transcaltachia, 290
Transthyrethin, plasma, vitamin A status and, 638
Trauma
  burns. *See* Burn trauma
  in geriatric patient, plasma free amino acid concentration and, 1040
Tricarboxylic acid cycle, 248
Triglyceride(s)
  long-chain, in TPN, effect on T-lymphocytes and NK cells, 119
  medium-chain, in TPN, effect on T-lymphocytes and NK cells, 119
  plasma
    caffeine and, 759
    dietary unsaturated fatty acids and, 1028
  serum
    after gastric bypass for morbid obesity, 774
    canned bean diet and, 1013
    fish-enriched diet and, 393
Tropical oils
  dietary intake, current, 738
  trend changes in use of, 738
Tyrosine, dietary restriction of, immunocompetence and, 188

Underfeeding, nutritional adaptation to, 264
Undernutrition
  Bedouin Arab infants, 343
  maternal, selenium content of milk and, 220
  protein-calorie, in geriatric rehabilitation patients, prognosis and, 749
Uremia, dietary ketoanalogues in (rat), 1046
Urine
  chromium excretion, insulinogenic properties of carbohydrates and, 864
  creatinine excretion, in estimation of resting energy expenditure in children on TPN, 958
  hydroxyproline in, vitamin C status and, 644
  manganese excretion, in adult males, 457
Urine collection, in metabolic balance studies, monitoring compliance with *p*-aminobenzoic acid, 485

Vegetable oils, n-3 fatty acids in, 809
Vegetarian. *See also* Diet, macrobiotic
  prostate cancer in, dietary and hormonal evaluation, 365, 371
Ventricular fibrillation, dietary intervention in (rat), 53
Vitamin(s)
  dietary intake, by triathletes, 690
  supplementation, by triathletes, 690
Vitamin A
  iron metabolism and, 76
  status, retinol-binding protein metabolism and, 638
  supplementation, single dose effects on iron metabolism, 76
Vitamin B-6
  in breast milk, pyridoxine supplementation and, 826
  depletion, aging and (rat), 446
  in human milk, after oral pyridoxine supplementation, 1062
  status
    cigarette smoking and, 1058
    in Egyptian mothers, infant behavior and, 1067
    in lactating mother, pyridoxine supplementation and, 826
  supplementation, during lactation (letter), 1116
  total, plasma, glucose load and, 832
Vitamin B-12
  in folic-acid supplemented subjects, deoxyuridine suppression test in, 80
  serum, in breast-fed vs formula-fed infants, 209
Vitamin C
  pharmacokinetics, in young and elderly men, 837
  status, urinary hydroxyproline excretion and, 644
  supplementation
    in iron-depleted women, effect on iron absorption and status, 649
    in young and elderly males, vitamin C pharmacokinetics and, 837
Vitamin D
  intestinal calcium absorption and, 290
  status
    in elderly nursing home population, sunlight exposure and diet and, 1075
    in infants on macrobiotic diets, 202
Vitamin D deficiency, in infants, macrobiotic diets and, 202
Vitamin E, during bone marrow transplantation conditioning therapy, 216
Vitamin K, in plasma and liver of surgical patients, 846

Walking, energy cost, at fixed (treadmill) pace and self-paced, before, during and after pregnancy, 158
Weaning
  intestinal synthesis of apo A1 in, dietary lipids and (piglet), 47
  nutritional supplementation during, responsiveness of weight and length to, 359
  serum apoproteins A1 and B in, dietary lipids and (piglet), 47

Weighed food record, in dietary assessment, computerized technique vs, 477
Weight
  changes in, in women, diet and, 1100
  effects of aspartame and high-fructose corn syrup intake, 963
  reference data, for Mexican-American children, 917
  relative, 540
  socioeconomic status and, 944
Weight-height indices, relative weight vs power-type weight-height index, 540
Weight reduction, energy metabolism after, metabolic adaptation to low-energy intake in, 578
Weight/stature percentiles
  reference data, for Mexican-American children, 917
  socioeconomic status and, 944

Zinc
  balance, in gastroenteritis, copper supplementation and, 1088
  in saliva, plasma and hair, age- and sex-related differences, 462
  serum, maternal, birth weight and, 678
  status, in competition swimmers, training regimen and, 1093
  supplementation, complications of, 225
  toxicity, 225

Author Index
Volume 51

Abeywardena MY, 53
Abumrad N, 612
Acton RT, 678
Adelekan DA, 453
Akanji AO, 112
Alleva AM, 963
Allman MA, 558
Alvarez JO, 678
Amédée-Manesme O, 638
Ances IG, 790
Andersen T, 331
Anderson HR, 29
Anderson JW, 1013
Anderson RA, 864
Andon MB, 1116
Ansart M-C, 47
Arab N, 612
Arnold C, 233
Askey S, 462
Astrup A, 331, 759

Baggio B, 1035
Bailey LB, 212
Baker L, 589
Bakker CJG, 953
Bales CW, 462
Ballor DL, 142
Barboriak JJ, 774
Barbosa JC, 798
Barden HS, 1106
Barnard HC, 1058
Barry J-L, 421
Bartoli WP, 1054
Bassily NS, 1067
Bauer M, 571
Baumgartner RN, 908S, 917S, 925S, 936S
Baynes RD, 873
Beauchamp GK, 881
Behmardi F, 462
Behme MT, 1113
Belling GB, 1028
Berendes HW, 343
Berntson GG, 162
Berseth CL, 985
Bertino M, 881
Bhandari SD, 87
Bier D, 494
Bisek JP, 1106
Bishry Z, 1067
Bjorntorp P, 970
Blanchard J, 837
Bland JM, 29
Blando L, 14
Bliss DZ, 685
Block JB, 698
Bloem MW, 76
Bloemberg BPM, 123
Boeckle H, 407
Bolonchuk WW, 1093
Bonner JL, 678
Bornet FRJ, 421
Borrelli R, 338
Borschel MW, 1062, 1116
Bose TK, 859
Bothwell TH, 873
Bouchard C, 153
Boutton TW, 59
Brand JC, 416
Bray GA, 571
Brazerol W, 209
Brenner SK, 7
Breum L, 331, 759
Brooke OG, 29
Brooks-Gunn J, 779
Broyer M, 1046
Bruce VM, 594
Brun T, 436
Bryant CA, 1013
Bryden NA, 864
Bühler E, 216
Bülow J, 331
Bulus N, 612
Burgess WA, 1054
Burke D, 881
Burtin M, 1046
Butte NF, 350
Butterworth CE Jr, 80

Camillo E, 107
Campbell TC, 436
Cannon S, 759
Carmel R, 316
Casadei A, 1035
Castillo-Durán C, 1088
Cerda JJ, 212
Chang DN, 343
Chang S-J, 183, 826
Charbonnier A, 563
Charnock JS, 53
Chiarelli A, 1035
Chiavacci R, 589
Childs MT, 1020
Christensen NJ, 331
Chumlea WC, 902S, 908S, 917S, 925S, 936S
Clemens MR, 216
Clifton P, 1028
Cloarec D, 421
Cochary EF, 446
Colditz GA, 1100
Cole P, 80
Colonna P, 421
Connor WE, 399, 535
Conrad KA, 837
Contaldo F, 338
Conway JM, 147
Cook JD, 301
Corcoran L, 589
Corner EJ, 594
Corona E, 197
Coulston AM, 67
Couture S, 7
Cowart BJ, 233
Craig CL, 153
Crosby LO, 167
Cunningham JJ, 553
Cutter GR, 678

Dagnelie PC, 202
Dallal GE, 95, 485
Dardenne M, 228
Darmaun D, 107
Das BS, 859
Das DB, 859
Daugherty SA, 241
Davis CD, 457
Davis JM, 1054
Dawson-Hughes B, 95
de Groot LCPGM, 578
de Lezenne Coulander C, 123
Deck CC, 599
Deehr MS, 95
Després J-P, 153
Deurenberg P, 3
Deuster PA, 690
Dhuper S, 779
Diamond JR, 606
Dietrich MF, 698
Dimitrov NV, 1082
Dingjan PG, 202
Dorsett CS, 1020
Doubt TJ, 690
Douglas FL, 665
Doyle EM, 804
Dozio E, 958
Duggin GG, 558
Dupre J, 1113

Eck LH, 784
Edaño A, 14
Egler J, 589
Ehninger G, 216
Einsele H, 216
Ellis PA, 804
Engelman K, 881
Enzi G, 1035
Erdman JW Jr, 706

Am J Clin Nutr 1990;51:1132–5. Printed in USA. © 1990 American Society for Clinical Nutrition

Evans WJ, 485
Evers P, 3

Fanning A, 399
Feldman M, 794
Ferris B, 153
Ferro-Luzzi A, 309
Feurer ID, 167
Fickel JJ, 462
Filley SJ, 798
Fisher M, 804
Flatt JP, 1115
Flegal KM, 540
Fong AKH, 477
Foote KD, 994, 1001
Forman MR, 343
Forster JL, 253
Fosmire GJ, 225
Foster GD, 167
Fox RP, 779
Freeland-Graves JH, 462
Friday KE, 470
Frusztajer NT, 779
Fulliton W, 784
Funk MA, 220

Gage D, 584
Galal OM, 1067
Gallagher SK, 649, 1093
Galmiche J-P, 421
Garrison B, 233
Garry PJ, 837, 1115
Garza C, 350, 378
Geiser F, 665
Geliebter A, 584
Gemayel N, 571
Gergans GA, 100
Gershoff SN, 446
Gey KF, 216
Ghishan FK, 612
Gilbert M, 59
Gilliland D, 1082
Girard-Globa A, 47
Gleysteen JJ, 774
Go RCP, 678
Go VLW, 985
Goddijn E, 123
Gogos CA, 119
Goldenberg RL, 678
Goldschmiedt M, 794
Goodnight SH Jr, 399
Goto Y, 991
Gouilloud S, 421
Goulet OJ, 958
Gray DS, 571
Greenlee P, 462
Greenway F, 571
Greger JL, 457
Gregory JF III, 87, 212
Griffin J, 29
Grimby G, 321
Groenewald AJ, 1058
Groot P, 393
Guo S, 892, 902S, 908S, 917S, 925S, 936S
Guptill KS, 343
Gustafson NJ, 1013

Habicht J-P, 359
Hahn P, 979
Hamaker BR, 1062
Hamazaki T, 991
Hamlin L, 220
Hanafin N, 1075
Hanchak NA, 606
Hanson CL, 784
Hanson J, 1106
Harris WS, 399
Harrison GG, 1067
Hashim SA, 584
Haste FM, 29
Hastings J, 685
Hatch KD, 80
Hautvast JGAJ, 158, 202, 578
Hazlett CB, 22
Heaney RP, 656
Heard GS, 853
Hediger ML, 790
Hein P, 759
Herrera MG, 359
Hevia P, 644
Hill LA, 241
Ho ML, 209
Hockaday TDR, 112
Holick MF, 1075
Hollenbeck CB, 832
Holm G, 321
Holman RT, 385
Holub BJ, 594
Hoogasian JJ, 804
Hörl WH, 407
Hornstra G, 393
Horvath JS, 558
Hoverson BS, 1093
Hrboticky N, 979, 1001
Hrbticky N, 173
Hubbard VS, 991
Hulshof T, 3
Hundt GL, 343
Hunt JR, 649
Hunt WC, 1115
Hunter JE, 809
Huster GA, 599

Illingworth DR, 399
Imura K, 822
Inkeles SB, 399
Innis SM, 173, 979, 994, 1001
Isbell TR, 784

Jacob RA, 644
Jahoor F, 248
James WPT, 264
Janghorbani M, 670
Jeevanandam M, 1040
Jeffery RW, 253
Jennings AS, 167
Jéquier E, 563, 1115
Jerome NW, 1067
Johnson CL, 316, 902S
Johnson MH, 804
Johnson SB, 385
Jones PJH, 979
Junshi C, 436
Just B, 107

Kalfarentzos FE, 119
Kaplan K, 571
Kare MR, 233
Karnovsky MJ, 606
Kasper LJ, 670
Katan MB, 1
Keen CL, 658
Kesäniemi YA, 1007
Kester A, 393
Kestin M, 1028
King DJ, 994
King IB, 1020
Kirk S, 571
Kirksey A, 826, 1062, 1067, 1116
Klein PD, 59
Kleinknecht C, 1046
Klesges RC, 784
Kievay LM, 869
Kligerman AE, 890
Kobayashi N, 846
Koehler LS, 548
Koh YO, 241
Kopple JD, 698
Korman SH, 139
Koruda MJ, 685
Kotler DP, 7
Kretsch MJ, 477
Kromhout D, 123
Krotkiewski M, 321
Kuczmarski RJ, 902S, 917S, 925S
Kunz C, 37
Kuvibidila S, 228

Laakso M, 768
Ladner C, 216
Laidlaw SA, 698
Lands WEM, 991
Laouari D, 1046
Laval JD, 421
Laviano A, 338
Leahy CK, 902S
Leake R, 698
Leblanc C, 153
Leklem JE, 832
Lepault F, 228
Levine PH, 804
Lin DS, 535
Lipkin EE, 470
Lipschitz DA, 749
Liu S-Y, 188
Livesey G, 617
London SJ, 1100
Lönnerdal B, 37
Looker AC, 316
Lowry LD, 233
Lukaski HC, 1093
Lutter CK, 359
Lydon MK, 553
Lykken GI, 649
Lyle BJ, 457

Macfarlane BJ, 873
Mackerras D, 892
MacKinnon MJ, 173, 994, 1001
MacLean WC Jr, 59
Madsen J, 331, 759
Majander H, 768
Malone W, 1082
Mandelbaum D, 67
Marchini JS, 270
Marshall JD, 22
Martin RF, 670
Martinez GA, 925S, 944S
Massé J, 1115
Massey LK, 188
Mattes RD, 233
Mattson DE, 100
Mayet F, 873
Mazess RB, 1106
Mazzoleni F, 1035
McCabe GP, 1067
McCarter MD, 606
McCarthy JP, 142
McCray RS, 584
McCullough AL, 1067
McDonald BE, 594

McDowell MA, 316
McLennan PL, 53
McNeill G, 264
Mead RA, 837
Meadows GG, 188
Melton PM, 584
Mendeloff AI, 1118
Meredith CN, 485
Messing B, 107
Meyer CJ, 1082
Michener SR, 985
Miettinen TA, 1007
Mifflin MD, 241
Millward J, 492
Milner JA, 220
Minghelli G, 563
Minn FL, 1082
Moe PW, 147
Montandon CM, 378
Moore RJ, 869
Moore WM, 892
Mora JO, 359
Morrow FD, 485
Moser-Veillon PB, 1116
Moses FM, 690
Motil KJ, 378
Moukarzel E, 958
Mourey M-S, 638
Mullen JL, 167
Mullen LM, 649
Murray RD, 59

Nabhan GP, 416
Naggan L, 343
Nagraj HS, 100
Neggers YH, 678
Nestel PJ, 1028
Nielsen FH, 649
Nieman DC, 798
Nishimura N, 846
Nordyke CK, 985
Norman AW, 290
Norman EJ, 209
Norris JR, 188

Obermann-de Boer GL, 123
Odin RS, 385
O'Dorisio TM, 162
Okanoue T, 846
Okuyama H, 991
Omaye ST, 644
Ostrander JG, 1020
Ozawa K, 846

Park YK, 738
Parpia B, 436
Parvy PR, 1046
Patch GA, 749
Patnaik JK, 859
Patterson JW, 853
Paule CL, 59
Peacock JL, 29
Peek MEM, 158
Pellett P, 494
Pellett PL, 711, 723
Penttilä I, 768
Pereira GR, 589
Perloff M, 1082
Phillipich MJ, 1082
Phinney SD, 385
Picciano MF, 220
Pierson RN Jr, 7
Pietsch J, 612
Pilbeam C, 1075
Pineda O, 197
Pirie P, 253
Pi-Sunyer FX, 14
Pobocik RS, 462
Polansky MM, 864
Poi_eter GM, 1058
Prentice A, 220
Presta E, 970
Proud VK, 853
Pusateri DJ, 365, 371
Putet G, 958

Quaade F, 331
Quinney HA, 22

Radack KL, 599
Ralph A, 264
Ramias L, 1040
Rao DR, 891
Rasmussen KM, 359
Reaven GM, 67
Redfern JS, 794
Reed LA, 338
Reiser S, 864
Renn W, 216
Reynolds RD, 1116
Rhyne RL, 1115
Ricour C, 958
Rizzo WB, 853
Roberts SB, 485
Robson DS, 359
Roche AF, 892, 908S, 917S, 925S, 936S, 944S
Rodin J, 428
Rodriguez O, 197
Rolandelli RH, 685
Rombeau JL, 685
Rongier M, 107
Rosales F, 197
Roseman JM, 678
Rosenberg IH, 531
Ross JK, 365, 371
Roth WT, 371
Rothrock DW, 399
Rudman D, 100
Rudman IW, 100
Rumpler WV, 147
Ruppenthal MM, 1082
Russell WE, 553
Ryan AS, 908S, 917S, 925S, 936S, 944S
Ryan CJ, 690

Sadowski JA, 446
Said H, 612
Sakai K, 991
Salas JS, 958
Saowakontha S, 76
Sarlund H, 768
Sarov B, 343
Sasse EA, 774
Satpathy R, 859
Sauberlich HE, 80
Savino W, 228
Scalfi L, 338
Schiavo MA, 233
Schiller WR, 1040
Schmidt U, 873
Schneider FE, 197
Schneider RE, 197
Scholl TO, 790
Schollmeyer P, 407
Schonk CM, 158
Schreurs WHP, 76
Schutz Y, 563, 1115
Scott BJ, 241
Scott FW, 489
Seale JL, 147
Segal KR, 14
Segal MR, 1100
Seidell JC, 953
Settle RG, 685
Shaw A, 29
Shepard DC, 485
Shiota T, 411
Ship J, 167
Shultz TD, 365, 371, 798
Siegenberg D, 873
Siegenthaler G, 638
Singh A, 690
Slentz CA, 1054
Smith EO'B, 350
Smith KT, 95
Smith RG, 658
Snook JT, 815
Snow BJ, 416
Soong S-J, 80
Sowers JR, 665
Spady DW, 22
Specker BL, 209
Speek AJ, 76
Speizer FE, 1100
Spencer DB, 1013
St Jeor ST, 241
Stampfer MJ, 1100
Starkey JR, 188
Stephens T, 153
Stewart PM, 558
Storlien LH, 1114
Stunkard AJ, 167
Sullivan DH, 749
Sun XF, 670
Suttie JW, 457
Swain LM, 411
Sylvester DM, 188
Szczepanik J, 321

Takala J, 768
Tal A, 873
Talamini MA, 707
Tamura T, 80
Tanimura H, 846
Tarpila S, 1007
Taulbee JD, 95
Taylor JRN, 873
Thotathuchery M, 378
Thurnham DI, 453, 859
Tierney AR, 7
Tietyen J, 1013
Tiller DJ, 558
Tordoff MG, 963
Toth JP, 212
Toubro S, 759
Tremblay A, 153
Truswell AS, 416, 558
Turnlund JR, 658

Uauy R, 1088
Ubbink JB, 1058
Urberg M, 665
Usui Y, 846
Uusitupa MIJ, 768

Valerio A, 1035
van Agtmaal EJ, 76
van den Berg H, 202
van der Kooij K, 3
van der Kooy K, 953

van der Riet WB, 873
van Es AJH, 578
van Houwelingen R, 393
van Jaarsveld H, 1058
van Kampen-Donker M, 123
Van Loan MD, 548
van Raaij JMA, 158, 578
van Staveren WA, 202
van Vliet T, 1
VanderJagt DJ, 1115
VanNatta M, 253
Vergote FJVRA, 202
Vermaak WJH, 1058
Vermaat-Miedema SH, 158
Vial P, 1088
Vinton NE, 698
Vogt JE, 578

Wachs TD, 1067
Wäckerle B, 407
Wadden TA, 167
Waller HD, 216
Walls RC, 749
Walser M, 411, 822
Wang J, 7
Wanner C, 407
Wardlaw GM, 815
Warren MP, 779
Waterlow JC, 259
Weaver BJ, 594
Weaver CM, 656
Webb AR, 1075
Wedel M, 76
Weiner BH, 804
Whitehead R, 563
Willett WC, 1100
Wilterdink EJ, 142
Witherly SA, 705
Wolever TMS, 72, 1113
Wolf B, 853
Wolfe RR, 248
Wood R, 571
Worme JD, 690
Woteki CE, 897S

Yamanaka WK, 1020
Yamazaki K, 991
Yang M-U, 970
Yetley EA, 316, 738
Young DH, 1040
Young VR, 258, 270, 485
Young, VR, 494
Young VR, 670

Zemel MB, 665
Zemel PC, 665
Zevenbergen H, 393
Zipf WB, 162
Zoumbos NC, 119
Zulin F, 436